

ENQUIRY

Ref: NCB/CF22-34/220541

June 22, 2022

Dear Sirs

Please let us have your Quotation for the following:

S.No.	Item Code	Description	Qty	UOM
1	LSCSC001648	Revamping the Existing Teak wood Meeting table - 8 seater by replacing the damaged beading , corners, supporting members   worn of parts like ajustable bushes.... The entire surace to be neatly scraped with Emery paper to achieve smooth and unfirom surface, filling the crevices with the approved filler. Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade with natural grains visible. Complete with necessary hardware   accessories and inclusive of loading   unloading the items and placing in position, raw material, transportation , sundries, tools and taxes etc . After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed. SIZE IN MM : 2350 X 1200 X 740MM	1.00	NO
2	LSCSC001649	SAME AS SPECIFICATION MENTIONED IN ITEM NO 1. SIZE : 1500 X 900 X 750MM	1.00	NO
3	LSCSC001650	SAME AS SPECIFICATION MENTIONED IN ITEM NO 1 SIZE : 1760 X 940 X 780	1.00	NO
4	LSCSC001651	Revamping the Existing Teak wood chair with arm are provided with cane for seating and back rest, handles are suported with decorative verticals. Existing canes to be replaced similar to the existing with necessary beading , wooden brackets at the corner with similar material to be provided to hold seat in position, bushes for legs to be replaced etc.., . Existing surfaced to be neatly scraped with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler . Polishing the entire surfaced with three coats of Melamine polish(Machine spray) to achieve uniform shade and natural wood grains should be visible. Complete with necessary hardware   accessories and inclusive of loading   unloading the items and placing in position, raw material, trasportation , sundries, tools and taxes etc . After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.	22.00	NOS
5	LSCSC001652	Revamping the existing Teakwood antique medium height storage unit consisting of 4 shutter. Replacing the damaged hardwares, alignment, replacing the worn out parts like beading, brackets, ajustable bushes..... The entire surface to be neatly scraped with Emery paper to achieve smooth and uniform surface, filling the crevices with the approved filler and Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade and natural grains to be visible . Complete with necessary hardware   accessories and inclusive of loading   unloading the items and placing in position, raw material, trasportation , sundries, tools and taxes etc . After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed. Agency should help in clearing the books and place them in the cartoon boxes until the work is complected and place them in the book shelf after the work is complected.	1.00	NO
6	LSCSC001653	Revamping the existing Teak wood Round Meeting table - 6 seater by replacing the damaged beading , corners, supporting members   worn of parts like ajustable bushes.... The table top is placed on the centre leg with wooden ties. The entire surace to be neatly scraped with Emery paper to achieve smooth and unfirom surface, filling the crevices with the approved filler.	1.00	NO

LSCSC001653 Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade with natural grains visible. Complete with necessary hardware | accessories and inclusive of loading | unloading the items and placing in position, raw material, transportation, sundries, tools and taxes etc. After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.  
SIZE : 1350MM DIA AND 800MM HEIGHT

7	LSCSC001654	Revamping the Existing Teakwood antique Swivel chair consisting of fabric seat and back rest provided with wooden rods for back supports. One of rod is misplaced and same needs to be fabricated and fixed. The seating fabric has to be replaced with cushion   necessary beading similar to the existing, wooden brackets at bottom   corner with similar material to be provided to hold seat in position, castors to be replaced etc.,. Existing surfaced to be neatly scraped with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler. Polishing the entire surfaces with three coats of Melamine polish(Machine spray) to achieve uniform shade and natural wood grains should be visible. Complete with necessary hardware   accessories and inclusive of loading   unloading the items and placing in position, raw material, transportation, sundries, tools and taxes etc. After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.	2.00	NOS
8	LSCSC001655	Revamping the Existing teakwood antique Chairs consisting of seat and back. Seat is provided with natural cane and back with wood support. The existing canes to be replaced similar to the existing with necessary beading, wooden brackets at the corner with similar material to be provided to hold seat in position, bushes for legs to be replaced etc.,. Existing surfaced to be neatly scraped with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler. Polishing the entire surfaces with three coats of Melamine polish(Machine spray) to achieve uniform shade and natural wood grains should be visible. Complete with necessary hardware   accessories and inclusive of loading   unloading the items and placing in position, raw material, transportation, sundries, tools and taxes etc. After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.	11.00	NOS
9	LSCSC001656	Revamping the existing antique Teak wood table with two drawers. Replacing the damaged beading, corners, supporting members   worn of parts like adjustable leg bushes, handles, drawer slide to be aligned.... The entire surface to be neatly scraped with Emery paper to achieve smooth and uniform surface, filling the crevices with the approved filler. Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade with natural grains visible. Complete with necessary hardware   accessories and inclusive of loading   unloading the items and placing in position, raw material, transportation, sundries, tools and taxes etc. After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.  SIZE : 960MMX 700MM X 760MM	1.00	NO
10	LSCSC001657	Existing Teakwood antique Diwan   Seat with cane for seating and back rest is provided with decorative wood supports. The existing canes to be replaced similar to the existing with necessary beading, wooden brackets at the corner with similar material to be provided to hold seat in position, bushes for legs to be replaced etc.,. Existing surfaced to be neatly scraped with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler. Polishing the entire surfaced with three coats of Melamine polish(Machine spray) to achieve uniform shade and natural wood grains should be visible. ,legs, bushes and seats etc.,. Complete with necessary hardware   accessories and inclusive of loading   unloading the items and placing in position, raw material, transportation, sundries, tools and taxes etc. After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed. SIZE : 2000 X 500 X 800	1.00	NO
11	LSCSC001658	Existing Teakwood antique Center table with glass top. Kindly address the	1.00	NO

LSCSC001658 touch up work and provide bush for the leg. The job can be addressed at NCBS.  
SIZE : 980X500X400MM

12	LSCSC001659	Existing Teakwood antique carved Center table with glass top . Cleaning, touch up polish   providing leg bush at NCBS SIZE : 750X480X470	1.00	NO
13	LSCSC001660	Existing Teakwood antique carved Center table with glass top . Cleaning, touch up polish, broken plain glass replacement   providing leg bush at NCBS. SIZE : 410X270X370	1.00	NO
14	LSCSC001662	Existing Teakwood antique Diwan   Seat with cane for seating and back rest is provided with decorative wood supports. The existing canes to be replaced similar to the existing with necessary beading , wooden brackets at the corner with similar material to be provided to hold seat in position, bushes for legs to be replaced etc., . Existing surfaced to be neatly scraped with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler . Polishing the entire surfaced with three coats of Melamine polish(Machine spray) to achieve uniform shade and natural wood grains should be visible. ,legs , bushes and seats etc.,. Complete with necessary hardware   accessories and inclusive of loading   unloading the items and placing in position, raw material, trasportation , sundries, tools and taxes etc . After complection of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed. SIZE : 1500 X 500 X 900	1.00	NO
15	LSCSC001661	TW ANTIQUE CHAIR. SAME SPECIFICATION AS MENTIONED IN ITEM NO 14	2.00	NOS
16	LSCSC001663	TW WOOD ANTIQUE CHAIR. SAME SPECIFICATION AS MENTIONED IN ITEM NO 14.	1.00	NO
17	LSCSC001664	Existing Teakwood antique Side Board provided with 4 shutter below and 4 drawers. The top,sides and backing surface to be scrapped complected with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler and Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade and colour. The shutter   drawer units needs to be aligned,repairing of worn out parts , replacing the damaged handles similar to existing , leg bush and polishing touch up. Complete with necessary hardware   accessories and inclusive of loading   unloading the items and placing in position, raw material, trasportation , sundries, tools and taxes etc . After complection of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.Agency should help in clearing the books/items and place them in the cartoon boxes until the work is complected and place them in the book shelf after the work is complected. SIZE : 2440 X 600 X 1020	1.00	NO
18	LSCSC001665	Existing Teakwood antique Magazine Stand : Touch up work at NCBS. SIZE : 470 X 370X 600MM	1.00	NO
19	LSCSC001666	Existing Teakwood antique Book Case consisting of the glass shutter with intermediate shelves.. Outer surface to be scrapped complectely with Emery paper to achieve smooth and uniform surface, filling the crevices with the approved filler and Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade and colour. The damged beading for the shutter/cornice to be replaced, repairing of worn out parts like handle, leg bushes etc.,, repairing of worn out parts of table such as beading,brackets,legs , bushes and table tops etc.,.Complete with necessary hardware   accessories and inclusive of loading   unloading the items and placing in position, raw material, trasportation , sundries, tools and taxes etc . After complection of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.Agency should help in clearing the books/items and place them in the cartoon boxes until the work is complected and place them in the book shelf after the work is complected. SIZE : 920 X 380 X 1520	1.00	NO
20	LSCSC001667	SAME SPECIFICATION AS MENTIONED IN ITEM NO 19 SIZE : 1230 X 420 X 2200MM	1.00	NO
21	LSCSC001668	SAME SPECIFICATION MENTIONED IN ITEM NO 19	1.00	NO

LSCSC001668 SIZE IN MM : 1020X380X1750

22	LSCSC001669	SAME SPECTION AS MENTON IN ITEM NO 19 SIZE : 1280 X 460X2200MM	1.00	NO
23	LSCSC001670	SAME SPECIFICATION AS MENTIONED IN ITEM NO 19 SIZE : 1070 X 600 X 2000MM	1.00	NO
24	LSCSC001671	SAME SPECIFICATION AS MENTIONED IN ITEM NO 19 SIZE : 1200 X 350X 1950MM	1.00	NO
25	LSCSC001672	Existing Teakwood antique work desk consisting of drawer units on both the sides.Repairing of worn out parts of table such as beading,brackets,legs , bushes,handles, drawer slides similar to existing etc., The entire surface to be neatly scraped with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler and Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade and colour. repairing of worn out parts of table such as beading,brackets,legs , bushes and table tops etc., Complete with necessary hardware   accessories and inclusive of loading   unloading the items and placing in position, raw material, transportation , sundries, tools and taxes etc . After complection of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.Agency should help in clearing the books/items and place them in the cartoon boxes until the work is completed and place them in the book shelf after the work is complected. SIZE : 1530 X 890 X 770MM	1.00	NO
26	LSCSC001673	SAME SPECIFICATION AS MENTIONED IN ITEM NO 25 SIZE : 1500 X 900 X 770MM	1.00	NO
27	LSCSC001674	TW ANTIQUE ROLL TOP TABLE SAME SPECIFICATION AS MENTIONED IN ITEM NO 25 SIZE :1070 X 680 X 1130MM	1.00	NO
28	LSCSC001675	Existing Teakwood antique Cabinet with shutter. Repairing of worn out parts of unit such as beading, wooden brackets,legs , bushes and handles etc., The entire surface to be neatly scraped with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler and Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade and colour. repairing of worn out parts of table such as beading,brackets,legs , bushes and table tops etc., Complete with necessary hardware   accessories and inclusive of loading   unloading the items and placing in position, raw material, transportation , sundries, tools and taxes etc . After complection of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.Agency should help in clearing the books/items and place them in the cartoon boxes until the work is completed and place them in the book shelf after the work is complected. SIZE : 1200 X 450 X 800MM	1.00	NO
29	LSCSC001676	Existing TW veneered storage for Instrument with Louvers. Repairing of worn out parts of unit such as beading, wooden brackets,legs , bushes and handles etc., The entire surface to be neatly scraped with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler and Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade and colour. repairing of worn out parts of table such as beading,brackets,legs , bushes and table tops etc., Complete with necessary hardware   accessories and inclusive of loading   unloading the items and placing in position, raw material, transportation , sundries, tools and taxes etc . After complection of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed. SIZE : 460X560X660MM	1.00	NO
30	LSCSC001677	Existing Teakwood veneered antique coffee tray : Touch up work at NCBS. SIZE IN MM : 570X430X660	1.00	NO
31	LSCSC001678	Existing Teakwood antique magazine stand : Touch up work at NCBS. SIZE : 400 X 370 X 320MM	1.00	NO

NOTE :

\* Agency should visit NCBS to examine the product before quoting.

\* Cost should visit all raw materials, accessories, Transportation, Loading & unloading & GST.

\* Offer your price bid as per Aneexure- A along with necessary documents.

**1. The quotation shall be submitted in a sealed envelope duly superscribed with the enquiry number, and the due date for ..... Ref No: 220541. The bids should be addressed and to be mailed/couriered (sent by post/courier) to 'THE HEAD-PURCHASE'.**

The bids are liable to be rejected if the sealed envelope is not addressed to "THE HEAD-PURCHASE" with Tender Ref No. and Item Description and due date. The bids delivered in person shall be dropped in Purchase Section. If the bids are sent through courier or mail, it should reach by submission date and time and NCBS will not be responsible for the delay.

**2. DUE DATE FOR SUBMISSION OF QUOTATION AGAINST THIS ENQUIRY IS 13/07/2022 BY 5.30PM.**

3. QUOTATIONS RECEIVED AFTER THE DUE DATE SHALL BE REJECTED.

4. The validity of your quotation should be for 60 days from the due date.

5. All duties, taxes, surcharge and cess as currently applicable must be stated in your quotation, separately. Otherwise your quote is liable to be rejected.

6. Your quotation should indicate delivery period & warranty period.

7. Delivery to be made to our stores. Please indicate charges, if any extra. Transit Insurance should be done upto NCBS Stores.

8. If you are unable to supply the quality, specifications or brand as mentioned in our enquiry, please state so and then offer alternative to quality/specifications.

9. Payment: within one month after delivery & acceptance/satisfactory installation.

10. Please ensure that the enquiry number and the due date is superscribed on the envelope failing which your quotation is liable to be rejected.

11. Since we are a public funded research institution, we are exempted from paying Customs duty (Except ad valorem duty of 5% + 2% Cess and 1% Cus Sec & High Edu. CESS vide Notification No. 51/96 with latest amendments) and excise duty vide Notification No. 10/97 CENTRAL EXCISE dated 01-03-1997 for all scientific equipments, technical instruments, equipments (including computers), their accessories, spares, consumables and software. Hence, please offer your prices

**12. If the item is covered under DGS&D rate contract, please quote the rate as per the DGS&D rate contract with xerox copy of the DGS&D order.**

13. Any dispute or differences that may arise between the parties shall be referred to the sole arbitration of the Centre Director or his nominees. The decision of the arbitrator shall be final and binding on the parties. The venue for arbitration shall be Bangalore. The provisions of the Arbitration and Conciliation Act, 1996 as amended from time to time shall apply. The courts in Bangalore shall have exclusive jurisdiction to deal with any or all disputes between the parties.



14. TIFR is a public funded research institute and is entitled to concessional rate of GST @ 5% for certain items supplied for research purpose vide notification no. 47/2017 and 45/2017 dated 14th Nov, 2017. The offer should be submitted after fully considering the above notification.









15. Liquidity Damages: If the equipment/ items as per specifications in our P.O. is not supplied (shipped) within the specified delivery schedule, then liquidated damages (not in terms of penalty) will be imposed automatically and shall be deducted from the bill at the rate of 0.5% per week subject to a maximum of 10% of the order value.

16. Income Tax at the applicable rates as per the Indian Income Tax Act 1961 will be deducted at source for the services availed / ordered. In case of service provider, the rate of tax deduction shall be at 2% as per Section 194C, and in case of fee for professional / technical services

## Annexure -A






## Repolishing the Existing Teakwood Antique furniture

Sl. No.	Images of each Existing Furniture item	Description of Furniture Item	Size in MM	Qty	Rate	Amount	Remarks
1		Revamping the Existing Teak wood Meeting table - 8 seater by replacing the damaged beading , corners, supporting members & worn of parts like ajustable bushes.... The entire surace to be neatly scraped with Emery paper to achieve smooth and unifrom surface, filling the crevices with the approved filler. Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade with natural grains visible. Complete with necessary hardware & accessories and inclusive of loading & unloading the items and placing in position, raw material, trasportation , sundries, tools and taxes etc . After complection of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.	2350x1200x740mm	1.00			
2		Revamping the Existing Teak wood Meeting table - 8 seater by replacing the damaged beading , corners, supporting members & worn of parts like ajustable bushes.... The entire surace to be neatly scraped with Emery paper to achieve smooth and unifrom surface, filling the crevices with the approved filler. Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade with natural grains visible. Complete with necessary hardware & accessories and inclusive of loading & unloading the items and placing in position, raw material, trasportation , sundries, tools and taxes etc . After complection of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.	1500x900x750mm	1.00			
3		Revamping the Existing Teak wood Meeting table - 8 seater by replacing the damaged beading , corners, supporting members & worn of parts like ajustable bushes.... The entire surace to be neatly scraped with Emery paper to achieve smooth and unifrom surface, filling the crevices with the approved filler. Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade with natural grains visible. Complete with necessary hardware & accessories and inclusive of loading & unloading the items and placing in position, raw material, trasportation , sundries, tools and taxes etc . After complection of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.	1760x940x780mm	1.00			
4		Revamping the Existing Teak wood chair with arm are provided with cane for seating and back rest, handles are suportred with decorative verticals. Existing canes to be replaced similar to the existing with necessary beading , wooden brackets at the corner with similar material to be provided to hold seat in position, bushes for legs to be replaced etc... Existing surfaced to be neatly scraped with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler . Polishing the entire surfaced with three coats of Melamine polish(Machine spray) to achieve uniform shade and natural wood grains should be visible. Complete with necessary hardware & accessories and inclusive of loading & unloading the items and placing in position, raw material, trasportation , sundries, tools and taxes etc . After complection of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.		22.00			
5		Revamping the existing Teakwood antique medium height storage unit consisting of 4 shutter. Replacing the damaged hardwares, alignment, replacing the worn out parts like beading, brackets, ajustable bushes..... The entire surface to be neatly scraped with Emery paper to achieve smooth and uniform surface, filling the crevices with the approved filler and Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade and natural grains to be visible . Complete with necessary hardware & accessories and inclusive of loading & unloading the items and placing in position, raw material, trasportation , sundries, tools and taxes etc . After complection of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed. Agency should help in clearing the books and place them in the cartoon boxes until the work is completed and place them in the book shelf after the work is completed.	1700x400x860mm	1.00			
6		Revamping the existing Teak wood Round Meeting table - 6 seater by replacing the damaged beading , corners, supporting members & worn of parts like ajustable bushes.... The table top is placed on the centre leg with wooden ties. The entire surace to be neatly scraped with Emery paper to achieve smooth and unifrom surface, filling the crevices with the approved filler. Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade with natural grains visible. Complete with necessary hardware & accessories and inclusive of loading & unloading the items and placing in position, raw material, trasportation , sundries, tools and taxes etc . After complection of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.	1350x1350x800mm	1.00			
7		Revamping the Existing Teakwood antique Swivel chair consisting of fabric seat and back rest provided with wooden rods for back supports. One of rod is misplaces and same needs to be fabricated and fixed. The seating fabric has to be replaced with cushion & necessary beading similar to the existing , wooden brackets at bottom & corner with similar material to be provided to hold seat in position, castors to be replaced etc... Existing surfaced to be neatly scraped with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler . Polishing the entire surfaces with three coats of Melamine polish(Machine spray) to achieve uniform shade and natural wood grains should be visible. Complete with necessary hardware & accessories and inclusive of loading & unloading the items and placing in position, raw material, trasportation , sundries, tools and taxes etc . After complection of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.		2.00			

8		Revamping the Existing teakwood antique Chairs consisting of seat and back. Seat is provided with natural cane and back with wood support. The existing canes to be replaced similar to the existing with necessary beading , wooden brackets at the corner with similar material to be provided to hold seat in position, bushes for legs to be replaced etc... Existing surfaced to be neatly scraped with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler . Polishing the entire surfaces with three coats of Melamine polish(Machine spray) to achieve uniform shade and natural wood grains should be visible. Complete with necessary hardware & accessories and inclusive of loading & unloading the items and placing in position, raw material, transportation , sundries, tools and taxes etc . After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.		11.00		
9		Revamping the existing antique Teak wood table with two drawers. Replacing the damaged beading , corners, supporting members & worn of parts like adjustable leg bushes, handles, drawer slide to be aligned.... The entire surface to be neatly scraped with Emery paper to achieve smooth and uniform surface, filling the crevices with the approved filler. Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade with natural grains visible. Complete with necessary hardware & accessories and inclusive of loading & unloading the items and placing in position, raw material, transportation , sundries, tools and taxes etc . After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.	960x700x760mm	1.00		
10		Existing Teakwood antique Diwan & Seat with cane for seating and back rest is provided with decorative wood supports. The existing canes to be replaced similar to the existing with necessary beading , wooden brackets at the corner with similar material to be provided to hold seat in position, bushes for legs to be replaced etc... Existing surfaced to be neatly scraped with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler . Polishing the entire surfaced with three coats of Melamine polish(Machine spray) to achieve uniform shade and natural wood grains should be visible. ,legs , bushes and seats etc... Complete with necessary hardware & accessories and inclusive of loading & unloading the items and placing in position, raw material, transportation , sundries, tools and taxes etc . After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.	2000x500x800mm	1.00		
11		Existing Teakwood antique Center table with glass top . Kindly address the touch up work and provide bush for the leg. The job can be addressed at NCBS.	980x500x440mm	1.00		
12		Existing Teakwood antique carved Center table with glass top . Cleaning, touch up polish & providing leg bush at NCBS	750x480x470mm	1.00		
13		Existing Teakwood antique carved Center table with glass top . Cleaning, touch up polish, broken plain glass replacement & providing leg bush at NCBS.	410x270x370mm	2.00		
14		Existing Teakwood antique Diwan & Seat with cane for seating and back rest is provided with decorative wood supports. The existing canes to be replaced similar to the existing with necessary beading , wooden brackets at the corner with similar material to be provided to hold seat in position, bushes for legs to be replaced etc... Existing surfaced to be neatly scraped with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler . Polishing the entire surfaced with three coats of Melamine polish(Machine spray) to achieve uniform shade and natural wood grains should be visible. ,legs , bushes and seats etc... Complete with necessary hardware & accessories and inclusive of loading & unloading the items and placing in position, raw material, transportation , sundries, tools and taxes etc . After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.	1500x500x900mm	1.00		
15		Existing Teakwood antique chair with cane for seating and back rest is provided with decorative wood supports. The existing canes to be replaced similar to the existing with necessary beading , wooden brackets at the corner with similar material to be provided to hold seat in position, bushes for legs to be replaced etc... Existing surfaced to be neatly scraped with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler . Polishing the entire surfaced with three coats of Melamine polish(Machine spray) to achieve uniform shade and natural wood grains should be visible. ,legs , bushes and seats etc... Complete with necessary hardware & accessories and inclusive of loading & unloading the items and placing in position, raw material, transportation , sundries, tools and taxes etc . After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.		2.00		

16		Revamping the Existing Teak wood chair with arm are provided with cane for seating and back rest, handles are supported with decorative verticals. Existing canes to be replaced similar to the existing with necessary beading , wooden brackets at the corner with similar material to be provided to hold seat in position, bushes for legs to be replaced etc... Existing surfaced to be neatly scraped with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler . Polishing the entire surfaced with three coats of Melamine polish(Machine spray) to achieve uniform shade and natural wood grains should be visible. Complete with necessary hardware & accessories and inclusive of loading & unloading the items and placing in position, raw material, transportation , sundries, tools and taxes etc . After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.		1.00			
17		Existing Teakwood antique Side Board provided with 4 shutter below and 4 drawers. The top,sides and backing surface to be scrapped completed with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler and Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade and colour. The shutter & drawer units needs to be aligned,repairing of worn out parts , replacing the damaged handles similar to existing , leg bush and polishing touch up. Complete with necessary hardware & accessories and inclusive of loading & unloading the items and placing in position, raw material, transportation , sundries, tools and taxes etc . After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.Agency should help in clearing the books/items and place them in the cartoon boxes until the work is completed and place them in the book shelf after the work is completed.	2440x600x1020mm	1.00			
18		Existing Teakwood antique Magazine Stand : Touch up work at NCBS.	470x370x600mm	1.00			
19			920x380x1520mm	1.00			
20		Existing Teakwood antique Book Case consisting of the glass shutter with intermediate shelves.. Outer surface to be scrapped completely with Emery paper to achieve smooth and uniform surface, filling the crevices with the approved filler and Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade and colour.	1230x420x2200mm	1.00			
21		The damaged beading for the shutter/cornice to be replaced, repairing of worn out parts like handle, leg bushes etc..., repairing of worn out parts of table such as beading,brackets,legs , bushes and table tops etc...Complete with necessary hardware & accessories and inclusive of loading & unloading the items and placing in position, raw material, transportation , sundries, tools and taxes etc . After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position.	1020x380x1750mm	2.00			
22		Any damages during transit to be addressed.Agency should help in clearing the books/items and place them in the cartoon boxes until the work is completed and place them in the book shelf after the work is completed.	1280x460x2200mm	1.00			
23			1070x600x2000mm	1.00			
24			1200x350x1950mm	1.00			
25		Existing Teakwood antique work desk consisting of drawer units on both the sides,Repairing of worn out parts of table such as beading,brackets,legs , bushes,handles, drawer slides similar to existing etc... The entire surface to be neatly scraped with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler and Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade and colour. repairing of worn out parts of table such as beading,brackets,legs , bushes and table tops etc... Complete with necessary hardware & accessories and inclusive of loading & unloading the items and placing in position, raw material, transportation , sundries, tools and taxes etc . After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.Agency should help in clearing the books/items and place them in the cartoon boxes until the work is completed and place them in the book shelf after the work is completed.	1530x890x770mm	1.00			
26			1500x900x770mm	1.00			



27		<p>Existing Teakwood antique Roller top desk consisting of drawer units on one side with pigeon holes at rear end of the table. Repairing of worn out parts of table such as beading,brackets,legs , bushes,handles, drawer slides similar to existing etc.. The entire surface to be neatly scraped with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler and Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade and colour. repairing of worn out parts of table such as beading,brackets,legs , bushes and table tops etc.. Complete with necessary hardware &amp; accessories and inclusive of loading &amp; unloading the items and placing in position, raw material, transportation , sundries, tools and taxes etc . After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.Agency should help in clearing the books/items and place them in the cartoon boxes until the work is completed and place them in the book shelf after the work is completed.</p>	1070x680x1130mm	1.00			
28		<p>Existing Teakwood antique Cabinet with shutter. Repairing of worn out parts of unit such as beading, wooden brackets,legs , bushes and handles etc.. The entire surface to be neatly scraped with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler and Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade and colour. repairing of worn out parts of table such as beading,brackets,legs , bushes and table tops etc.. Complete with necessary hardware &amp; accessories and inclusive of loading &amp; unloading the items and placing in position, raw material, transportation , sundries, tools and taxes etc . After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.Agency should help in clearing the books/items and place them in the cartoon boxes until the work is completed and place them in the book shelf after the work is completed.</p>	1200x450x800mm	1.00			
29		<p>Existing TW veneered storage for Instrument with Louvers. Repairing of worn out parts of unit such as beading, wooden brackets,legs , bushes and handles etc.. The entire surface to be neatly scraped with Emery paper to achieve smooth and even surface, filling the crevices with the approved filler and Polishing with three coats of Melamine polish(Machine spray) to achieve uniform shade and colour. repairing of worn out parts of table such as beading,brackets,legs , bushes and table tops etc.. Complete with necessary hardware &amp; accessories and inclusive of loading &amp; unloading the items and placing in position, raw material, transportation , sundries, tools and taxes etc . After completion of polishing work the Furniture items should be wrapped for entire surfaces during transportation and to be removed only after placing in position. Any damages during transit to be addressed.</p>	460x560x670mm	1.00			
30		<p>Existing Teakwood veneered antique coffee tray : Touch up work at NCBS.</p>	570x430x660mm	1.00			
31		<p>Existing Teakwood antique magazine stand : Touch up work at NCBS.</p>	400x370x320mm	1.00			
<p align="center"><b>Grand Total including GST , loading &amp; unloading, placing in position, transportation charges, work will taken in two phases,covering during transportation and all accessories.</b></p>							
<p><b>Before quoting the agency should visit NCBS and examine the condition of the furniture item . NCBS will provide only gate pass for addressing the jobs. Agency should provide details of the company &amp; address, contact details, valid ID proof &amp; Registration certificate. NCBS officials will visit your premises before awarding the order .</b></p>							

### **Micro and Small Enterprises (MSEs):**

1. Micro and Small Enterprises (MSE) must, along with their offer, provide proof of their being registered as MSE (indicating the terminal validity date of their registration) for the item tendered, with any agency mentioned in the notification of the Ministry of Micro, Small and Medium Enterprises (Ministry of MSME)
2. The MSEs are exempted from payment of earnest money and tender fees subject to furnishing of relevant valid certificate for claiming exemption as per privilege rules of Government of India.
3. The bidder submits registration of Udyog Adhar Memorandum (UAM) by Ministry of Micro Small and Medium Enterprises (MSME) vendors on Central Public Procurement Portal (CPPP). The bidders who fail to submit UAM number shall not be able to avail the benefits available to MSEs as contained in Public Procurement Policy for MSEs Order 2012 issued by MSME.

### PRICE

**The Tenders to be quoted in INR. For imported goods, to be quoted in currency of the approved currency from RBI.** The price/s quoted shall be firm till the complete execution of the order. All details relating to price, price breakup, inland transportation, documentation, taxes and duties, levies, freight charges, delivery terms, mode of payment, mode of Despatch, Insurance should be clearly stated.

**This invitation is only for Class “1” and Class “2” Suppliers as prescribed in “Public Procurement (Preference to Make in India) order 2017 of GOI. Dept of DIPP” (OM No. P-4502/2/2017-PP(BE-II) dated 04<sup>th</sup> June, 2020. Necessary certification for local content must be submitted by the prospective bidders strictly as per Annexure – 2 attached with the tender document.**

For indicating the price, the tenderers may choose any/all of the following: **The ‘Class-I Local Supplier’ / ‘Class-II Local Supplier’ at the time of tender, bidding or solicitation shall be required to indicate percentage of local content and provide self-certification that the item offered meets the local content requirement for ‘Class-I Local Supplier’ / ‘Class-II Local Supplier’ as the case may be.**

**As per O.M No. F.No.6/18/2019-PPD, dt.23/07/2020, the following condition to be fulfilled and the bidder to submit the following declaration on their Letter head.**

**I. Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is Registered with the Competent Authority.**

**II. “Bidder” (including the term ‘tenderer’, ‘consultant’ or ‘service provider’ in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.**

**III. “Bidder from a country which shares a land border with India” for the purpose of this Order means:-**

- a. An entity incorporated, established or registered in such a country; or
- b. A Subsidiary of an entity incorporated, established or registered in such a country; or
- c. An entity substantially controlled through entities incorporated, established or registered in such a country; or
- d. An entity whose beneficial owner is situated in such a country; or
- e. An Indian (or other) agent of such an entity; or
- f. A natural person who is a citizen of such a country; or
- g. A consortium or joint venture where any member of the consortium or joint venture falls under any of the above.

**Declaration of Compliance of Order (Public Procurement No.1, 2 & 3) dtd 23-Jul-2020 & 24 Jul 2020 on Restrictions under Rule 144 (xi) of the General Financial Rules (GFRs), 2017**

This declaration must form part of all tenders & it contains general information and serves as a declaration form for all bidders. (Before completing this declaration, bidders must study the General conditions. Definitions, Govt Directives applicable in respect of Public Procurement No.1, 2 & 3) dtd 23 Jul 2020 & 24 Jul 2020 on Restrictions under Rule 144 (xi) of the General Financial Rules (GFRs), 2017 & prescribed tender conditions).

**DECLARATION BY AUTHORISED SIGNATORY OF THE FIRM**

I, the undersigned, ..... (full names), do hereby declare, in my capacity as ..... of M/s. .... (name of bidder entity), that:

- 1) The facts contained herein are within my own personal knowledge.
  
- 2) I have read the Order (Public Procurement No.1, 2 & 3) dtd 23 Jul 2020 & 24 Jul 2020 on the subject of Restrictions under Rule 144 (xi) of the General Financial Rules (GFRs), 2017 regarding restrictions on procurement from a bidder of a country which shares a land border with India and comply to all the provisions of the Order.
  
- 3) I certify that M/s. .... (name of bidder entity) ***is not from such a country or, is from such a country (strike out whichever is not applicable)***, has been registered with the Competent Authority. I hereby certify that the SUPPLIER fulfills all requirements in this regard and is eligible to be considered. (Where applicable, evidence of valid registration by the Competent Authority is attached).
  
- 4) I understand that the submission of incorrect data and / or if certificate / declaration given by M/s. .... (name of bidder entity) is found to be false, this would be a ground for immediate termination and further legal action in accordance with law as per clause 12 of the Public Order on Restrictions under Rule 144 (xi) of the General Financial Rules (GFRs), 2017.

**AUTHORISED SIGNATURE:** \_\_\_\_\_

**DATE:** \_\_\_\_\_

**Seal / Stamp of Bidder**