

Ref:NCB/CM19-41/190047

April 15, 2019

ENQUIRY

=> By Speed Post/Courier

Dear Sirs

Please let us have your Quotation for the following:

S.No.	Item Description	Qty	UOM
1	Supply of Wafer type butterfly valve PN16 rating, body of cast iron, seat black EPDM in-situ moulded on the body, disc SG iron -nylon coated shaft SS AISI 410, fitted with Gear unit Size 150mm	2.00	NOS
2	Supply of Wafer type butterfly valve PN16 rating, body of cast iron, seat black EPDM in-situ moulded on the body, disc SG iron -nylon coated shaft SS AISI 410, fitted with Gear unit Size 200mm	10.00	NOS
3	Supply of Wafer type butterfly valve PN16 rating, body of cast iron, seat black EPDM in-situ moulded on the body, disc SG iron -nylon coated shaft SS AISI 410, fitted with Gear unit Size 250mm	20.00	NOS
4	Supply of Wafer type butterfly valve PN16 rating, body of cast iron, seat black EPDM in-situ moulded on the body, disc SG iron -nylon coated shaft SS AISI 410, fitted with Gear unit Size 300mm	3.00	NOS
5	Supply of Wafer type butterfly valve PN16 rating, body of cast iron, seat black nitrile rubber in-situ moulded on the body disc SG iron -nylon coated shaft SS AISI 410, fitted with Gear unit Size 150mm	8.00	NOS
6	Supply of Wafer type butterfly valve PN16 rating, body of cast iron, seat black nitrile rubber in-situ moulded on the body disc SG iron -nylon coated shaft SS AISI	5.00	NOS

S.No.	Item Description	Qty	UOM
	410, fitted with Gear unit		
	Size 250mm		

1. The quotation shall be submitted in a sealed envelope duly superscribed with the enquiry number, and the due date for Ref No: 190047. The bids should be addressed and to be mailed/couriered (sent by post/courier) to 'THE HEAD-PURCHASE'.

The bids are liable to be rejected if the sealed envelope is not addressed to "THE HEAD-PURCHASE" with Tender Ref No. and Item Description and due date. The bids delivered in person shall be dropped in Purchase Section. If the bids are sent through courier or mail, it should reach by submission date and time and NCBS will not be responsible for the delay.

2. DUE DATE FOR SUBMISSION OF QUOTATION AGAINST THIS ENQUIRY IS 06/05/2019 BY 5.30PM.

3. QUOTATIONS RECEIVED AFTER THE DUE DATE SHALL BE REJECTED.

4. The validity of your quotation should be for 60 days from the due date.

5. All duties, taxes, surcharge and cess as currently applicable must be stated in your quotation, separately. Otherwise your quote is liable to be rejected.

6. Your quotation should indicate delivery period & warranty period.

7. Delivery to be made to our stores. Please indicate charges, if any extra. Transit Insurance should be done upto NCBS Stores.

8. If you are unable to supply the quality, specifications or brand as mentioned in our enquiry, please state so and then offer alternative to quality/specifications.

9. Payment: within one month after delivery & acceptance/satisfactory installation.

10. Please ensure that the enquiry number and the due date is superscribed on the envelope failing which your quotation is liable to be rejected.

11. Since we are a public funded research institution, we are exempted from paying Customs duty (Except ad valorem duty of 5% + 2% Cess and 1% Cus Sec & High Edu. CESS vide Notification No. 51/96 with latest amendments) and excise duty vide Notification No. 10/97 CENTRAL EXCISE dated 01-03-1997 for all scientific equipments, technical instruments, equipments (including computers), their accessories, spares, consumables and software. Hence, please offer your prices

12. If the item is covered under DGS&D rate contract, please quote the rate as per the DGS&D rate contract with xerox copy of the DGS&D order.

13. Any dispute or differences that may arise between the parties shall be referred to the sole arbitration of the Centre Director or his nominees. The decision of the arbitrator shall be final and binding on the parties. The venue for arbitration shall be Bangalore. The provisions of the Arbitration and Conciliation Act, 1996 as amended from time to time shall apply. The courts in Bangalore shall have exclusive jurisdiction to deal with any or all disputes between the parties.

14. TIFR is a public funded research institute and is entitled to concessional rate of GST @ 5% for certain items supplied for research purpose vide notification no. 47/2017 and 45/2017 dated 14th Nov, 2017. The offer should be submitted after fully considering the above notification.

15. Liquidity Damages: If the equipment/ items as per specifications in our P.O. is not supplied (shipped) within the specified delivery schedule, then liquidated damages (not in terms of penalty) will be imposed automatically and shall be deducted from the bill at the rate of 0.5% per week subject to a maximum of 10% of the order value.

16. Income Tax at the applicable rates as per the Indian Income Tax Act 1961 will be deducted at source for the services availed / ordered. In case of service provider, the rate of tax deduction shall be at 2% as per Section 194C, and in case of fee for professional / technical services under section 194J, the tax deduction shall be at the rate of 10%. In case service provider does not provide PAN number, the deduction shall be at 20% under section 206 AA.

-Tax Deduction Certificates will be provided on request for non PAN holders & Foreign Vendors and PAN holders could avail them through NSDL site dealing with 26AS

SPECIFICATION SHEET- Butterfly valve specs EPDM seating-3

Integrally moulded butterfly valve	
GEAR OPERATED BUTTERFLY VALVE	
STANDARDS	
DESIGN STD	EN 593 (BS 5155) , API 609, MSS SP 67, ISO 5752
TESTING PRESSURE	Body :24 Kg /Cm2 & Seat 17.6 Kg/Cm2
Material of Construction	
BODY	Cast iron IS 1561 EN GJL-250
SEAT/LINER	EPDM in-situ moulded body liner
DISC	SG Iron EN 1563 -400 /18 with Nylon-coating
SHAFT	ASTMA479 Type 410
SHAFT TOP	ASTMA479 Type 410
BEARING	ACETAL , PHOSPHOR BRONZE
WEATHERSEAL	Nirile Rubber
FLOW CONTROL LEVER	IS:2062 Gr . A
IDENTIFICATION PLATE	SS304
HYDROSTATIC TEST PRESSURE	SEAT : 24 BAR SHELL :17.6 BAR
SIZE RANGE	50MM TO 500MM { GEAR OPERATION }
END CONNECTION	WAFER
NOTE	No Loose lined valves are qualified to participate

Vendors shall mention valve model numbers with catalogue

SPECIFICATION SHEET- Butterfly valve specs Nitrile rubber-2

Integrally moulded butterfly valve

GEAR OPERATED BUTTERFLY VALVE

STANDARDS

DESIGN STD	EN 593 (BS 5155) , API 609, MSS SP 67, ISO 5752
TESTING PRESSURE	Body :24 Kg /Cm2 & Seat 17.6 Kg/Cm2

Material of Construction

BODY	Cast iron IS 1561 EN GJL-250
SEAT/LINER	Nitrile Rubber in-situ moulded body liner
DISC	SG Iron EN 1563 -400 /18 with Nylon-coating
SHAFT	ASTMA479 Type 410
SHAFT TOP	ASTMA479 Type 410
BEARING	ACETAL , PHOSPHOR BRONZE
WEATHERSEAL	Nitrile Rubber
FLOW CONTROL LEVER	IS:2062 Gr . A
IDENTIFICATION PLATE	SS304
HYDROSTATIC TEST PRESSURE	SEAT : 24 BAR SHELL :17.6 BAR
SIZE RANGE	50MM TO 500MM { GEAR OPERATION }
END CONNECTION	WAFER
NOTE	No Loose lined valves are qualified to participate

Vendors shall mention valve model numbers with catalogue

Yours faithfully
For and on behalf of
National Centre for Biological Sciences

For. sent 15/04/19

Head Purchase